

09/696, 956

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	409385	dual nea3 antenna\$1 and antenna near3 mixer and mixing near3 (down near3 convert\$3 or intermediate near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:02
L2	1	dual near3 antenna\$1 and antenna near3 mixer and mixing near3 (down near3 convert\$3 or intermediate near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:04
L3	14	two near3 antenna\$1 and antenna near3 mixer and mixing near3 (down near3 convert\$3 or intermediate near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:25
L4	1	("3766559").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:09
L5	7	("3177489"   "3246327"   "3309706"   "3670335").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:11
L6	10	("3766559").URPN.	USPAT	OR	ON	2005/09/29 09:14
L7	7	(inferometer).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:15
L8	0	compar\$5 near3 frequency near3 antenna\$1 and deriv\$5 near3 (angle or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:18
L9	7	compar\$5 near3 frequency near3 antenna\$1 and deriv\$5 near3 (angle or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:20
L10	6	bridge and compar\$5 near3 frequency and antenna\$1 and deriv\$5 near3 (angle or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:21
L11	16	rf near2 bridge and frequency and antenna\$1 and (angle or bearing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:21
L12	3	two near3 antenna\$1 and antenna near3 mixers and compar\$3 near3 intermediate near2 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:27

L13	924	two near3 antenna\$1 and measur\$4 near3 frequency and (angle or bearing\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:28
L14	93	13 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 reference	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:29
L15	0	13 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 reference near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:30
L16	0	13 and ( adjust\$5) near3 reference near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:29
L17	28	13 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 reference near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:34
L18	456	angle near3 measur\$6 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 oscillator near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:35
L19	108	frequency near1 difference and angle near3 measur\$6 and (processor or controller or microprocessor or micro\$1controller or control\$5) near3 oscillator near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/29 09:35
L20	19	("4169245"   "4870420"   "4977365"   "5198748"   "5255000"   "5265121"   "5334984"   "5404144"   "5465097"   "5477230"   "5497161"   "5541608"   "5572213"   "5936575"   "6140963"   "6195043"   "6239747"   "6255991"   "6313795").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:38
L21	5	("4626859"   "4876549"   "5497161"   "5559518"   "5568154").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:38
L22	12	("3449748"   "3500414"   "3540053"   "4034376"   "4170774"   "4443801"   "4486757"   "4532515"   "H000922").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:39
L23	5	("3369235"   "4103304"   "4219821"   "4275397").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:40
L24	11	("4017859"   "4546354"   "4563686"   "4996533"   "5102219"   "5198748"   "5235287"   "5262837"   "5280288"   "5285209"   "5302957").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:47

L25	5	(measur\$5 or detect\$4) near3 angle and D/A near3 oscillator	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:48
L26	3	angle and measur\$5 near3 frequency and D/A near3 oscillator	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:49
L27	43	(angle or inferometer) and D/A near3 oscillator	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:52
L28	5392	(angle or inferometer) and control\$4 near3 oscillator near3 frequency	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:53
L29	65	(angle or inferometer) and plural\$4 near3 mixers and control\$4 near3 oscillator near3 frequency	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:57
L30	53	measur\$4 near3 angle and adjust\$4 near3 oscillator near3 frequency and (microprocessor or controller or processor)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 10:04
L31	11	("3346859"   "3365719"   "3728724"   "3848253"   "3975734"   "4005421"   "4034373"   "4038658"   "4064510").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 10:01
L32	672	measur\$4 near3 angle and oscillator near3 frequency and (microprocessor or controller or processor)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 10:04
L33	42	dual near3 antenna\$1 and measur\$4 near3 angle and oscillator near3 frequency and (microprocessor or controller or processor)	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 10:04